

## **XSERIES**



Mount Lenses
Accessories

September 2015

X Series brochure 2015.indd 1 9/2/2015 2:57:43 PM



## **Cameras**









X-Q2

X30

X100T

X-A2

Price	€379	€459	€1235	Kit 16 - 50 mm: €499 Kit 16-50mm + XC 50-230: €659
Sensor	12,0 M X-Trans 2/3" CMOS II Low-pass free	12,0 M X-Trans 2/3" CMOS II Low-pass free	16,3 M X-Trans CMOS II APS-C Low-pass free	16,3 M X-Trans CMOS APS-C Low-pass free
Lens	4 x zoom 25-100 F1.8-4.9	4 x zoom 28-112 F2.0-F2.8 Dual Ring Manual Zoom	Fix 23 mm F2	Kit: 16 - 50mm F3.5-5.6
AF	Phase detection + TTL Contrast AF	Phase detection + TTL Contrast AF	Phase detection + TTL Contrast AF	TTL Contrast AF
LCD	3.0" 920K Tempered glass	3.0" 920K dots premium clear Tilting LCD	3.0" 1040K dots Premium clear LCD	3.0-inch, Aspect ratio 3:2, Approx. 920K-dot Tilt type TFT color LCD monitor
EVF	No	100% Electronic Oled viewfinder	Hybrid Optical + electronic	No
Wifi	Yes	Yes	Yes	Yes
Movie	Full HD 60fps	Full HD 60fps	Full HD 60fps 1080/60P, 50P, 24P	Full HD 30fps
ISO	100 - 12800	100 - 12800	100 - 51200	100 - 25600
IS	Lens shift type	Lens shift type	/	Supported with OIS type lenses

Find Fujifilm Belgium on If Instagram







X Series brochure 2015.indd 2 9/2/2015 2:57:49 PM



## XSERIES











**X-E2** 

X-T10

X-T1
Graphite edition

**X-T1** 

X-Pro1

Kit 18 - 55 mm: €999
Body: €699

Body: €699
Kit XC 16-50 mm: €799
Kit XF 18-55 mm: €1099
Kit XC 16-50 + 50-230mm: €999

Body: €1399

Kit 18 - 55 mm: €1599 Body: €1199

Kit 18 - 135 mm: €1699

Body: €999

16,3 M X-Trans
CMOS II APS-C
Low-pass free

13,6M	X-Trans	CMOS
APS-C		

16,3 M X-Trans CMOS II APS-C Low-pass free 16,3 M X-Trans CMOS II APS-C Low-pass free 16,3 M X-Trans CMOS APS-C Low-pass free

Kit: 18 - 55mm F2.8-4 + all Fujinon lenses

All Fujinon lenses All Fu

All Fujinon lenses

All Fujinon lenses

All Fujinon lenses

Phase detection + TTL Contrast AF

New + Fast Phase detection + Contrast AF (6 AF modes) Phase detection + TTL Contrast AF

Phase detection + TTL Contrast AF

TTL Contrast AF

3" 1040K Tempered glass

3" 920K-dot Tilting

3.0" 1040K Tilting screen 3.0" 1040K Tilting screen

3.0" 1230K

2360K OLED EVF

2360 K-dot

Large 2360K OLED EVF 100% Large 2360K OLED EVF 100%

Hybrid Optical + electronic

Yes

Yes

Yes

Yes

No

Full HD 60fps

Full HD

200-51200

100 - 51200

Full HD 60fps

100 - 51200

Full HD 60fps

100 - 25600

Full HD 24fps

200 - 25600 Supported with OIS type lenses

/

## **Mount Lenses**

#### XF LENS



Prime Ultra-wide

XF14mmF2.8 R €929

Large Aperture

€1399

Mid-range Telephoto

XF56mmF1.2 R APD



Prime Ultra-wide Bright Aperture

XF16mmF1.4 R WR €999

Mid-range Telephoto

XF60mmF2.4 R

Macro

€615



Prime Wide Angle

XF18mmF2 R €568



Prime Mid-range Telephoto

XF90mmF2 R LM WR €899



Prime Semi-wide Bright Aperture

XF23mmF1.4 R €929



Ultra Wide Angle Zoom Lens

XF10-24mmF4 R OIS €999



Prime Semi-wide

XF27mmF2.8 €435



Standard Zoom Lens

XF16-55mm F2.8 R LM WR €1099



Prime Large Aperture Standard

XF35mmF1.4 R €568



Standard Zoom Lens

XF18-55mm F2.8-4 R LM OIS €739 <u>Z</u>

F

# The vision of the X Series,

X Series brochure 2015.indd 4 9/2/2015 2:58:15 PM





## XC LENS



Prime Large Aperture Mid-range Telephoto

XF56mmF1.2 R €999



High Magnification Zoom Lens

XF18-135mm F3.5-5.6 R LM OIS WR €799



Telephoto Zoom Lens

XF50-140mm F2.8 R LM OIS WR €1499



Telephoto Zoom Lens

XF55-200mm F3.5-4.8 R LM OIS €699



Standard Zoom Lens

XC16-50mm F3.5-5.6 OIS II €399



Telephoto Zoom Lens

XC50-230mm F4.5-6.7 OIS II €399

#### M MOUNT ADAPTER



€229

#### **MACRO EXTENSION TUBE**

MCEX-11 & 16 €89



## the choice for X Series owners

X Series brochure 2015.indd 5 9/2/2015 2:58:25 PM

## X Accessories



## M Mount Adapter

The M Mount adapter lets you use an incredibly wide selection of lenses with an X Mount-equipped camera body. Made from the same high-grade metal material used in X Mount cameras and the XF lens X Mount, the adapter is engineered to ensure a high-precision fit. It also features electronic contacts for communicating signals with the camera body and a function button that lets users smoothly choose settings and functions for the mounted lens (Shoot Without Lens, focal length settings, various image corrections, etc.) \*1 Also in the case of the X-Pro1, the bright frame in the Optical Viewfinder mode changes according to the lens focal length setting for easy shooting.\*2

- \*1 X-Pro1 requires firmware version 1.11 or higher.
  \*2 The bright frame may not be displayed for lenses with certain focal lengths.



Compatible with: X-Pro1/X-T1/X-T10/X-E2/X-E1/X-M1/X-A2

## Macro Extension Tube

Fits between camera body and interchangeable lens to enable macro photography at a higher magnification ratio. Available in 11mm and 16mm, depending on the level of magnification required.



MCEX-11

MCEX-16

XF35mmF1.4 R (x0.17)



XF35mmF1.4 R with MCEX-11 (x0.47)



XF35mmF1.4R with MCEX16 (x0.61)



X Series brochure 2015.indd 6 9/2/2015 3:00:01 PM



#### **FUJIFILM X-T10**

- New Dials for enhanced operability
- 920K-dot tilting LCD
- Compact and lightweight body
- New AF Zone and Wide/Tracking modes
- X-Trans™ CMOS II sensor & EXR Processor II
- Film Simulation "CLASSIC CHROME"
- Real-Time Viewfinder
- in Black and Silver



FUJIFILM X-T10	Price	
X-T10 Body	699 euro	
X-T10 XC 16-50 mm kit	799 euro	
X-T10 XF 18-55 mm kit	1099 euro	
X-T10 XC 16-50 mm & 50-230 mm kit	999 euro	



X Series brochure 2015.indd 7 9/2/2015 3:00:47 PM

## Shoe Mount Flash

#### EF-X20

A compact and stylish hot-shoe flash, powered with two AAA batteries, with an easy-to-use dial to control output. The design features extensive use of metal in the exterior casing to give an added premium feel.

Compatible with: X-Pro1/X-T1/X-T10/X-E2/ X-F1/X-M1/X-A2/X100S/X100/X20/X10/X-1/ FinePix HS50EXR/HS30EXR/HS20EXR/S1/ SL1000/SL300/X100T/X30





Tilt angle: 90°. Swivel angle: 180° (Left) and 120° (Right). Requires 4xAA batteries.

Compatible with: X-Pro1/X-T1/X-T10/ X-F2/X-F1/X-M1/X-A2/X100S/X100/ X20/X10/XS1/FinePixHS50EXR/ HS30EXB/HS20EXB/S1/SI 1000/ SL300/X100T/ X30



#### E.E-20

Tilt angle: 90° Requires 2xAA batteries

Compatible with: X-Pro1/X-T1/X-T10/ X-E2/X-E1/X-M1/X-A2/X100S/X100/ X20/X10/X-S1/FinePix/S50EXR/HS30EXF HS20EXB/S1/SI 1000/X100T/X30



## Remote Release

#### RR-90

Compatible with: X-T1/X-T10/X-E2/X-M1/X-A2/XQ1/ FinePix S1/X100T/X30



RR-90

## Stereo Microphone

#### MIC-ST1

Allows users to set the microphone level while checking the level meter on the camera. It features a 2.5mm jack, and can be fitted with a conversion adapter to connect to supported X Series models.\* The included adapter is required to convert the terminal for camera connection.



Compatible with: X-T1/X-T10/X-E2/X-E1/X100S\*/X20\*/X-S1\*/FinePix HS50EXR/X100T/X30

## Hand Grip



Compatible with: X-T1

This grip has the same dust- and splash-resistant structure as the cameras in X-T1 series. It features a shutter release button, AE-L / AF-L and focus assist buttons, as well as twin command dials for excellent operability when you hold the camera vertically. The tripod mounting socket at the base of the grip is aligned with the optical axis. It houses an auxiliary battery (NP-W126) to enable the shooting of approx. 700 shots on a single charge when combined with the camera body battery.



#### HG-XM1

Offering an assured hold while preventing any interference with a tripod head, this grip is ideal when the camera is fitted with a large lens. The tripod mounting socket is aligned with the optical axis and both battery and memory card can be accessed while the grip is in place.





This grip strap gives a more assured hold when fitted to a camera body. It can be combined with a hand grip to achieve an even higher level of stability.

Compatible with:X-T1/X-T10/X-E2/X-E1/ X-M1/X-A2/X-S1/X100S/X100/ FinePix HS50FXR



MHG-XT Large/Std/Small

Compatible with: X-T1



MHG-XPRO

Compatible with: X-Pro1



Compatible with: X-E2/X-E1



MHG-XT10

Compatible with: X-T10

These grips feature a 38mm-wide quick release plate that can be directly fitted to compatible tripod mounts. The tripod mounting socket is aligned with the optical axis, plus the battery and memory card can be changed while the grip is mounted to the camera. The MHG-XT, which is designed for the X-T1, is available in three different shapes.

## Leather Case

#### BLC-XT1

This half case, specifically designed for the X-T1, is made of genuine leather for a luxury feel. Users can access the SD card and battery without removing the camera from the case. It comes with a shoulder strap, also made of leather, and a wrapping cloth to cover your camera when putting it in a bag.

Compatible with: X-T1





#### LC-XPro1

This half case, specifically designed for the X-Pro1, is made from genuine leather for a luxury feel.

Compatible with: X-Pro1



#### BLC-XE1

This half case, specifically designed for the X-E1 / X-E2, is made from genuine leather for a luxury feel and has a contoured grip for a solid hold. Users can access the SD card and battery without removing the camera from the case, which comes supplied with a wrapping cloth for the camera.

#### BLC-XM1/BLC-XT10

This half case, specifically designed for the X-M1/X-T10, is made of genuine leather for a luxury feel. Users can access the SD card and battery, or mount the camera on a tripod without removing the camera from the case.



Compatible with: X-E2/X-E1



Compatible with: X-M1/X-A2



Compatible with: X-T10

### Protector Filter

A clear protection filter with a transmittance rate of over 99.7%. The thin, multi-layer Super EBC coating protects the lens surface without compromising its colour reproduction performance.



PRF-39	XF27mmF2.8 XF60mmF2.4 R Macro	
PRF-49S		X100T/X100S/X100 (AR-X100 required)
PRF-52	XF18mmF2 R XF35mmF1.4R	X30/X20/X10 (LH-X10 required)
PRF-58	XF14mmF2.8 R XF18-55mmF2.8-4 R LM OIS XC16-50mmF4.5-6.7 OIS XC50-230mmF4.5-6.7 OIS	FinePix HS50EXR / HS30EXR / HS20EXR
PRF-62	XF23mmF1.4 R XF56mmF1.2 R /APD XF90mmF2 R LM WR XF55-200mmF3.5-4.8 R LM OIS	X-S1
PRF-67	XF16mmF1.4 R WR XF18-135mmF3.5-5.6 R LM OIS WR	
PRF-72	XF10-24mmF4 R OIS XF50-140mmF2.8 R LM OIS WR	FinePix S1(AR-S1 required)
PRF-77	XF16-55mmF2.8-4 R LM WR	

## Tethered Shooting Software

#### HS-V5 for Windows® Ver.1.1

Advanced software for tethered shooting with an X-T1 or X-T1 Graphite Silver Edition. Once attached, users can control the camera with the computer, and save images direct to the hard drive. USB2.0\*2 is supported for the connectivity between the camera and the computer.

Must be updated to the tethering-compatible firmware (Ver. 3.0 or later). Internet connection is required for downloading compatible firmware.

A USB2.0 MicroB cable must be used for USB connection between the camera and computer.

"HS-V5 for Windows® Ver.1.0" is a tethering software that allows users to connect X-T1\* and X-T1 Graphite Silver Edition\* to PC to directly save captured images onto PC or control the cameras from computer. The use of USB2.0 cable\*\* is supported for connection between the camera and PC.



## Others

Body Cap BCP-001 Lens Front Cap Lens Rear Cap Lens Front Cap Lens Front Cap Lens Front Cap RLCP-001 FLCP-77 FLCP-72 FLCP-72II FLCP-67 Lens Front Cap Lens Hood Cap for 35mm Lens Front Cap Lens Front Cap Lens Front Cap Lens Hood Cap for 18mm

X Series brochure 2015.indd 9 9/2/2015 3:10:51 PM



## Accessoires

# Compatibility: All these accessories can be used on the following X Cameras: X-Pro1, X-T1, X-T10, X-E2, X-E1, X-M1, X-A1, X-A2



X Series brochure 2015.indd 10 9/2/2015 3:11:56 PM



## XSERIES





Stereo microphone







Shoe mount flashes







My FinePix studio

http://www.fujifilm.com/ support/digital\_cameras/ software/myfinepix\_studio/rfc

#### Raw file converter

http://www.fujifilm.com/support/digital\_cameras/software/ viewer/





Filter/ Lens hood/ Hood cap





Leather case



Filter/ Lens hood







USB/HDMI cable












Power accessories



X Series brochure 2015.indd 11 9/2/2015 3:13:41 PM



X Series brochure 2015.indd 12 9/2/2015 3:14:16 PM